



ELEPHANT
Gypsum Board



Finished Access Panel **Elephant ZERVEboard**

For Gypsum Concealed Ceiling




*Frameless
Quick installation
Easy to inspect*

Finished Access Panel

Elephant **ZERVEboard**

For Gypsum Concealed Ceiling



Elephant ZERVEboard – Finished access panel for installing with gypsum concealed ceiling, is an openable manhole for maintenance, inspect and/or extend the system above the ceiling. With its frameless feature, make it able to install anywhere on the ceiling without disturbing the scenery of the building or room.



To be able to give the aesthetic look to the building and house, Elephant ZERVEboard – Finished access panel is designed with a frameless feature, make it look like there is nothing on the ceiling.



Square Corners Type



*Rounded corners type,
circle radius 5 cm.*

Additionally, the various shapes are also available to match with the design, including **Square corners** and **Rounded Corners**. Furthermore, tailor-made is available for specific used, able to customize the size, type, and shape to fit your need*.


Available in 2 types to fit with the usage, Standard type for general uses i.e. Dining room, Parlor, or Hallway and Moisture Resistant type (MoistBloc) for the area that contact with high humidity i.e. Bathroom or Kitchen.

How to inspect ZERVEboard?


After installed, it can be inspected by the color on the panel's edge to make sure that whether the type of installed ZERVEboard is match with the usage or not.

ZERVEboard Standard **red metallic color**** for inner frame

ZERVEboard Moisture Resistant **green metallic color**** for inner frame



ZERVEboard Standard



**ZERVEboard
Moisture Resistant
(MoistBloc)**


* please check the production condition with the sales representative shop.

** metallic color, both red and green are only available for the size of 300x300 mm., 450x450 mm., and 600x600 mm.

For ZERVEboard size 600x1200 mm. and tailor-made, the corners will be light gray.



Please notice the
"GENUINE" symbol
on every pieces.



FEATURES

- /// **Frameless** aesthetic, blend with the ceiling.
- /// **Easier to inspect** when ZERVEboard is installed with the right type by checking from the color of the inner's frame.
- /// **Quick and save time** no need to remove the existing ceiling.
- /// **Ease of use** finished from the factory.
- /// **Strong & Durable** made from Elephant Gypsum Board and covered the edges with Homogenous Section metal, make it able to withstand the impact.
- /// **Tailor-made available***

ZERVEboard Square Corners	Panel Size (WidthxLength)	Frame Size (WidthxLength)
Standard Type*	300x300 mm.	500x500 mm.
	450x450 mm.	650x650 mm.
	600x600 mm.	800x800 mm.
	600x1200 mm.	800x1400 mm.
Moisture Resistant Type*	300x300 mm.	500x500 mm.
	450x450 mm.	650x650 mm.
	600x600 mm.	800x800 mm.
	600x1200 mm.	800x1400 mm.
ZERVEboard Rounded Corners	Panel Size (WidthxLength)	Frame Size (WidthxLength)
Standard Type	450x450 mm.	650x650 mm.
	600x600 mm.	800x800 mm.
Moisture Resistant Type	450x450 mm.	650x650 mm.
	600x600 mm.	800x800 mm.

* please check the production condition with the sales representative shop.




ZERVEboard

installation materials

1. Elephant Pro C-Line – add around the joint between ceiling and ZERVEboard frame.
2. Elephant Pro Cross Clip – at the both end of the C-Line.
3. Truss Head Screw 10mm.
4. Black Screw 25mm.
5. Gypsum Jointing Tape
6. Elephant Jointing Compound

Remark : the number of the used materials depend on C-Line length and Access Panel size.




Installation Guide



1. Choose the size of ZERVEboard that fit with the usage and designate the area of installing on concealed ceiling metal profile.
2. Add Elephant Pro C-Line around the designated area (joint between gypsum ceiling and ZERVEboard frame (in case of adding to the existing ceiling and need to cut the main frame, additional hanging sets need to be installed to its end to reinforce its strength))
3. Fix ZERVEboard frame to Elephant Pro C-Line with 25 mm Black screw, 100 mm or less spacing along the edges.
4. Cover the joint with Gypsum Jointing Tape and Elephant Jointing Compound.
5. Apply paint to the ceiling and Elephant ZERVEboard panel then insert the panel into the frame.



Please notice the "GENUINE" symbol on every pieces.



ELEPHANT
Gypsum Board

The Siam Gypsum Industry (Saraburi) Co., Ltd.

Pakin Building, 5th floor, 9 Ratchadapisek Road,
Dindang, Bangkok 10400 Tel. : (+66) 2-555-0000

A product of Knauf Group



www.siamgypsum.com/en_ex