SCG


NEW

SCG Smartwood and Decorative Materials for Ceilings, Walls and Floors



*Change the **Surface**,*
Change Your Home









SCG Smartwood and Decorative Materials

SCG Smartwood and Decorative Materials is a leading surface innovation for residential and commercial buildings. Suitable for both interior and exterior applications, it covers all surface decoration needs, including ceilings, walls, floors, and decorative elements. As the Master of Surface Covering, the portfolio offers a wide variety of materials and surface textures to meet every design requirement, turning creative imagination into reality. Distinguished by unique materials and exceptional flexibility in both design and functionality, it provides diverse design possibilities. Its expertise is proven through countless outstanding projects that have brought creative designs to life.




It provides comprehensive support from initial planning through project delivery, offering end-to-end services for designers, project owners, and contractors. For those seeking stylish and forward-thinking surface decoration solutions, it transforms bold creative concepts into distinctive aesthetic realities through the expertise of highly skilled professionals and SCG's trusted quality standards.

SCG T-Clip Shield



Synthetic wood floor manufactured from fiber cement material, featuring a solid composition with a five-layer surface coating. Delivers long-lasting, beautiful color with reduced maintenance concerns with a design to specifically combat Thailand's climate. Resistant to sun, termites, and decay, while providing a safe, slip-resistant surface and enhanced durability for long-term use.



Safe Shield
Anti-slip performance

Nano Shield
Long-lasting, beautiful color consistency

Stay Shield
2x impact resistance

Primer Shield
Enhanced paint adhesion

Please scan for more information

NEW INNOVATION!
5-layer
color-locking system



Product Specification

Material	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)	Coverage (sheet/sq.m.)
Fiber Cement	16x300x2.5	17.4	2.08
	20x300x2.5	22.6	1.67

SCG Color Through

NEW INNOVATION!
5-layer
color-locking system



The latest innovation in fiber cement decorative floor. Color Through features a solid color-through composition that delivers the rich, consistent look of natural wood grain throughout the material — not just on the surface. Combined with a five layer protective coating, homeowners never have to worry about peeling, chipping, or scratches from everyday use. Built-in anti-slip properties ensure peace of mind for the whole family.


Please scan for more information

Product Specification

Material	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)	Coverage (sheet/sq.m.)
Fiber Cement	16x300x2.5	17.4	2.08

SCG Saver

A superior fiber cement composite board engineered with a proprietary blend of SCG Portland cement, purified silica, and specialty cellulose fiber.
Each board undergoes high-temperature, high-pressure autoclave steam curing, guaranteeing consistent, SCG-certified quality across every single piece.



Product Specification

Material	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)	Coverage (sheet/sq.m.)
Fiber Cement	10 x 300 x 2.5	11.3	3.33
	15 x 300 x 2.5	16.9	2.22
	20 x 300 x 2.5	22.6	1.67

Installation System


Floor locking clips


SCG anchor plugs and screws


Touch-up paint

SCG Wood Plank

SCG Wood Substitute is a high-performance fiber cement synthetic wood that outperforms conventional synthetic wood. It features a specially engineered multi-layer structure made from SCG Portland Cement, high-purity silica, and special cellulose fibers, enhanced with Color Loc Plus Technology. Color Loc Plus Technology securely locks color molecules into the material, increasing durability while helping to prevent mold and algae growth. As a result, SCG Wood Plank delivers consistent, long-lasting quality and maintains its natural beauty, meeting SCG standards in every panel.

* Tested for weather resistance using QUV testing in accordance with ASTM G154, and for paint film adhesion in accordance with ASTM D3359.
** Tested for resistance to mold and bacteria in accordance with TIS 2321-2549

Please scan for more information

Layers 2 and 3: Topcoat layers
Create the surface texture of synthetic wood and lock the color firmly onto the primer layer.



Layer 1: Primer Coat
The primer coat helps lock in the actual color and ensures adhesion to the synthetic wood surface.



Cool Plus series

Cool homes like no other, the first and only solution in Thailand. Powered by Color Loc Plus Technology, COLOR LOC PLUS delivering 4x heat protection, for a cooler, more comfortable home with color that stays beautiful and durable in all conditions.

- Reduces temperature by up to 5°C*
- Reflects heat 4 times more** and reflects up to 72% of heat
- Beautiful colors that are easy to clean
- Double coating for enhanced protection against mold and bacteria up to 99%***

Reflects heat 4x better | **Mold and moss prevention** | **Easy to clean**

* Tested for weather resistance using QUV testing in accordance with ASTM G154, and for paint film adhesion in accordance with ASTM D3359.
** Tested for solar energy reflectance in accordance with ASTM E903-96.
*** Tested for resistance to mold and bacteria in accordance with TIS 2321-2549.



Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
15 (6")	300	0.8	5.4	2.7
	400		7.2	2.0



WOW Plus and Special Plus Series

Beautiful, long-lasting colors that stand out and enhance the clarity of wood grain. Powered by Color Loc Plus Technology COLOR LOC PLUS that helps to protect against mold and moss, so your home always looks new.

- WOW Plus
  - Features three color shades in a single panel, factory-coated with three layers of paint.
- Special Plus
  - Features two color shades in a single panel, factory-coated with paint.

Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
15 (6")	300	0.8	5.4	2.7
	400		7.2	2.0
20 (8")*	300		7.2	1.9
	400		9.7	1.5

*Available only for the Special Plus series, except the Minimal Beech color.

WOW Plus



Special Plus








Ready-to-Use Color Series

Natural wood tones that bring warmth and refined character — protected by Color Loc Plus technology for long-lasting color with built-in mold and algae resistance.

Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
15 (6")	300	0.8	5.4	2.7
	400		7.2	2.0
20 (8")	300		7.2	1.9
	400		9.7	1.5





Primer & Cement Series

Primer finish


High-quality factory primer, ready for immediate 100% acrylic topcoat

Cement finish

Apply old concrete primer first, then finish with 2 coats of topcoat for true color depth

Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
15 (6")	300	0.8	5.4	2.7
	400		7.2	2.0
20 (8")	300		7.2	1.9
	400		9.7	1.5






Lap Siding Series


A cleaner, more refined wall surface with no visible screw heads — delivering a seamless, uninterrupted finish. The ideal choice for modern homes, commercial buildings, and contemporary residential projects.

Product Specification

Series	Dimension (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
VX1	23.6 x 300 x 1	9.31	1.5
V1	18 x 300 x 1	6.98	2.1
V2	23.6 x 300 x 1	9.44	1.5
V2 Wood Grain	23.6 x 300 x 1	9.44	1.5
V3	23.6 x 300 x 1	9.31	1.5



SCG Signature Trapezoid Groove Design



Installation System



SCG anchor plugs and screws



Touch-up paint



SCG COATE

Color-coated decorative wall panels featuring a modern, minimalist aesthetic with factory-applied finishes. The panels deliver durable, elegant colors with natural wood-inspired tones.

- **Weather resistant**
  Manufactured from fiber cement material; resistant to sun, rain, and termites
- **Smooth, refined finish with seamless clip-lock system**
  Conceals joints for a clean, continuous wall surface
- **Environmentally friendly.** Certified with environmental labels EPD GREEN CHOICE


Fudge Brown


Cozy Beech


Warm Grey

Please scan for more information

Product Specification

Material	Description	Dimension (Width × Length × Thickness (cm))	Weight (kg/sheet)	Coverage (sheet/sq.m.)	Texture and Pattern
Fiber Cement	Smooth	20x300x1.2	9.5	1.75	Smooth, Woodgrain textured surface
	Grooved		9.4		

Fixing Accessories


Decorative Wall Clip Lock COATE


SCG wall plugs and screws


Touch-up Paint



SCG WOOD-D

Digital Printing Decorative Wall Panels

Advanced technology delivering patterns and colors that replicate the authentic look of real wood in every detail in modern woodgrain style.

- **Long-lasting beauty**
  Advanced surface coating technology tested to withstand over 1,000 hours, equivalent to more than 8 years of service life
- **Weather resistant**
  Made from fiber cement material; resistant to sun, rain, and termites
- **Smooth, refined finish with a seamless clip-lock system**
  Precisely engineered panels create a clean, continuous wall surface
- **Environmentally friendly.**
  Certified with environmental labels





Smooth Finish



Ash Wood Beige | Ash Wood Brown | Ash Wood Oak | Ash Wood Ash Grey




Pine Wood Cedar | Thai Teak | Texas Wood Beige | Texas Wood Brown

Grooved Finish



Ash Wood Beige | Ash Wood Brown | Ash Wood Oak | Ash Wood Ash Grey



NEW Pine Wood Cedar | Thai Teak | Texas Wood Beige | NEW Texas Wood Brown

Product Specification

Material	Description	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)	Coverage (sheet/sq.m.)	Texture and Pattern
Fiber Cement	Smooth	20x300x1.2	9.5	1.75	Smooth, Woodgrain textured surface
	Grooved		9.4		

Please scan for more information

Fixing Accessories



Decorative Wall Clip Lock WOOD-D



SCG wall plugs and screws



Touch-up Paint

Decorative Wall



SCG LINE

Multi-purpose decorative laths sized 1 × 2 inches, manufactured from fiber cement material. Designed for both exterior and interior decoration, suitable for use as facade screens, sun-shading elements, or decorative feature panels.

- **Weather resistant.** Manufactured from fiber cement with a special structural process using high-pressure steam curing (Autoclave), termite resistant with no natural wood components.
- **Customizable color finish.** Can be painted to desired colors using fiber cement paint or 100% acrylic paint.
- **Environmentally friendly.** Certified with environmental labels.





Product Specification

Material	Dimension (Width × Length × Thickness (cm))	Weight (kg/sheet)
Fiber Cement	5x300x2.5	5.7

Please scan for more information



SCG Eave Linear

Gloss Plus & Special Plus Series

Bold, lasting color that draws out the depth of the wood grain — powered by Color Loc Plus Technology for continuous mold and algae resistance, keeping your home looking fresh and vibrant year after year.

- **Gloss Plus**
  - 3-shade dimensional color in a single plank
  - A factory-applied 3-layer coating
- **Special Plus**
  - Bold, dimensional color
  - 2 shades in a single plank



Product Specification

Series	Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
Gloss Plus	7.5 (3")	300	0.8	2.7	4.44
Special Plus					




Rustic Grain Series

- Deep, true-to-life wood grain texture that rivals real timber
- Ideal for eave ceilings, decorative laths, and privacy screens
- Available in 2 factory-applied, long-lasting colors: Cement and Cozy Beach
- Mold, algae, and all-weather resistant



Product Specification

Color	Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
Cement	7.5	300	0.8	2.7	4.44
Cozy Beach					



Beveled-Edge & Wood Grain Series

- Straight, true, and warp-free throughout the product's lifetime
- Two profiles available:
  - Wood Grain — Cement color
  - Beveled-Edge* — Available in Cement, Cream Primer, Oak, and Red Oak
- Cement color: Apply old-surface primer before topcoat
- Factory-applied colors are ready to use immediately
- Color Loc Plus Technology** for long-lasting color and mold and algae resistant

Product Specification

*Factory-applied colors available in 3" width only.
**Available in Red Oak and Oak finishes only.

Color	Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
Wood Grain	7.5 (3")	300	0.8	2.7	4.44
Beveled-Edge*	7.5 (3")			2.7	4.44
	10 (4")			3.6	3.33

Installation System



SCG anchor plugs and screws



Touch-up paint

EPD GREEN CHOICE




SCG Wood Plank NEX Series

Natural wood aesthetics brought to life with Digital Printing technology

SCG Wood Plank NEX Series

- **Realistic wood-like patterns** created with digital printing technology, complete with authentic wood grain texture
- **Highly durable in all weather** conditions, resistant to mold and algae, and termite-proof
- **Suitable for both interior and exterior decorative applications**
- **Environmentally friendly** through innovative technology and advanced manufacturing processes


Golden Teak


Mahogany Red


Pearl Grey


Ginger Brown


Maple Pine


Moss Grey

Product Specification

Material	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
Fiber Cement	15x300x0.8	5.4

Fixing Accessories


SCG wall plugs and screws


Touch-up Paint





SCG Lap Siding NEX Series

Bring distinctive style to your home with the new lap siding series

Featuring advanced Digital Printing technology, it combines dimensional woodgrain patterns with an authentic wood-like texture. This enhances visual appeal while creating a warm and inviting atmosphere for your home, perfectly complementing every lifestyle with three exclusive color shades.

- **A variety of patterns** enhances visual appeal with birch woodgrain designs, featuring 5–6 unique pattern variations within each color shade
- **Easy installation** with a dry system — lap siding is secured with screws, with no locking clips required
- **Color Shades :** White Birch, Golden Birch, Moss Grey



Profile


V1 No Groove


V2 4" Groove


V3 2.5" Groove

Product Specification

Material	Description	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
Fiber Cement	Lap Siding V1	23.6x300x1	9.6
	Lap Siding V2		9.5
	Lap Siding V3		9.4






SCG MODEENA Wood Coat Series
SCG MODEENA and SCG MODISH Stone Coat Series

An innovative grooved fiber cement decorative wall panel, enhanced with advanced pre-finished coating technology introduced in Thailand for the first time. Meticulously crafted surface patterns, from natural-looking woodgrain textures to stone finishes that convey a sense of luxury, creating elevated wall aesthetics while enabling fast and efficient installation.

- **Factory-finished colors and patterns** deliver refined aesthetics and durability, tested for color performance equivalent to more than 8 years of use
- **Manufactured from fiber cement using** XTRUSION **Technology,** providing a dense, strong core with excellent termite resistance
- **Seamless, single-panel appearance** achieved through a concealed clip-lock installation system; suitable for both vertical and horizontal installation on steel frames and concrete walls
- **Smooth, refined surface** ideal for decorative wall applications in vertical installations



WOOD COAT SERIES NEW



White Oak | Sandalwood | Wenge

STONE COAT SERIES NEW



Off White | Ivory White | Dark Grey

Product Specification

Material	Description	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
Fiber Cement	Modeena-M1	30 x 300 x 2.5	20.8
	Modeena-M4	30 x 300 x 2.3	20.6

Product Specification

Material	Description	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
Fiber Cement	Modeena-M4	30 x 300 x 2.3	20.6
	Modish-U	25.5 x 300 x 3.9	24.2
	Modish-V	24.7 x 300 x 3.1	20.5

Please scan for more information

Fixing Accessories



Decorative Wall Clip Lock MODEENA MODISH Series



SCG wall plugs and screws




Touch-up Paint



SCG MODEENA

Decorative wall panels featuring deep dimensional profiles in a single panel, designed to create distinctive lines and patterns that add visual interest to walls. Ideal for enhancing a wide range of design styles. Factory-finished surfaces deliver refined aesthetics and long-lasting durability. Suitable for wall and ceiling decoration, for both exterior and interior applications.

- **Deeper dimensional profiles** than conventional grooved decorative panels, engineered with X-TRUSION Technology
- **Strong and durable,** with enhanced structural performance, offering up to 60% greater strength compared with standard grooved panels
- **Smooth, seamless finish with a clip-lock system,** concealing joints for a clean, continuous surface
- **Available in MODEENA Lite** (lightweight, ideal for ceiling installation) and **MODEENA Curve** designed for installation in floor-adjacent areas, supporting an R-value greater than 50.
- **Environmentally friendly.** Certified with environmental labels EPD GREEN CHOICE



Product Specification

Material	Description	Dimension (Width x Length x Thickness (cm))
Fiber Cement	Modeena	30x300x2.5,2.3 / 30x150x2.5,2.3
	Modeena Lite	30x300x1.8
	Modeena Curve	10x300x2.5 / 10x300x1.6

Please scan for more information

Fixing Accessories


Decorative Wall Clip Lock MODEENA Series


SCG wall plugs and screws


Touch-up Paint





SCG MODISH

Grooved decorative wall panels with a modern design concept, offering a fresh and distinctive look that stands out. Available in three profile options: Modish-M, featuring an M-shaped groove om a single profile, Modish-V, featuring a V-shaped groove that delivers a clean, refined appearance; and Modish-U, with a U-shaped groove inspired by architectural principles. Factory-finished surfaces provide beautiful aesthetics and long-lasting durability. Suitable for wall decoration in both exterior and interior applications.

- **Deeper dimensional grooves** than conventional grooved decorative panels, engineered with X-TRUSION Technology
- **Strong and durable,** with enhanced structural performance, providing up to 60% greater strength compared with standard grooved panels
- **Smooth, seamless finish with a clip-lock system,** concealing joints for a clean, continuous wall surface
- **Environmentally friendly.** Certified with environmental labels



Product Specification

Material	Description	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
Fiber Cement	Modish-U	25.5x300x3.9	24.2
	Modish-V	24.7x300x3.1	20.5
	Modish-M	26.4x300x3.55	24.9
	Modish-M Curve	12.3x300x3.55	15.2

Please scan for more information

Fixing Accessories



Decorative Wall Clip Lock MODISH Series



SCG wall plugs and screws



Touch-up Paint






SCG STONEVA

Stone-pattern decorative wall panels with 3D texture that enhance designs with charm and natural beauty—without using real natural materials.

- **Made from fiber cement with** X-TRUSION **technology,** delivering up to 60% higher density than conventional production, strong and durable for exterior use.
- **Realistic dimensional stone texture,** factory pre-finished with SCG's special coating technology for a smooth, durable finish. Long-lasting color technology and tested under accelerated conditions equivalent to more than 10 years of real use.
- **Easy to maintain, simply clean** with water or rainwater.
- **Easy installation** with clip-lock system, corner panels, modified silicone, and finishing color, suitable for both steel structures and concrete walls.
- **Eco-friendly,** certified by GREEN CHOICE, reduces water and energy consumption, as well as CO_2 emissions during production.



Product Specification

Material	Dimension (Width x Length x Thickness (cm))	Color
Fiber Cement	40x300x1.6	Ivory White / Off White / Dark Grey

Fixing Accessories



Decorative Wall Clip Lock Stoneva Series




SCG wall plugs and screws



Touch-up Paint

SCG Fascia

Engineered with SCG SUPER MOLECULE LIGHT Formula — a step above conventional fascia boards. Lighter to handle, tougher in composition, easier to nail or screw, and faster to install for a cleaner finish. Backed by SCG's COLOR LOC PLUS innovation technology for lasting beauty. Available widths: 4", 6", and 8" — in both a fine wood-grain finish for a natural look, and a smooth finish for a clean, modern aesthetic. Suitable for all home styles: modern, compact, and hip roof designs.



Light to lift. Fast to finish. SUPER MOLECULE LIGHT

For use on fascia boards and barge boards across all roof types.

EPD INTERNATIONAL EPD SYSTEM GREEN CHOICE

- **Straight**, true, and warp-free installation
- **Fine wood-grain texture** for a natural, authentic appearance
- **Smooth** profile for a sleek, contemporary look
- **Color Loc Plus Technology** — long-lasting color with mold and algae resistance
- **Available in factory-applied colors and primer finish**, ready for immediate topcoat

Product Specification

Series	Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
Fascia Board	10 (4")*	400	1.6	8.4	0.25
	15 (6")**			12.8	
	20 (8")**			17.1	
Smooth Cream	15 (6")	300		9.5	0.33
	20 (8")			12.9	
Smooth Cement	15 (6")			9.5	
	20 (8")			12.9	

** Color Loc Plus Technology available in Red Oak and Golden Teak finishes only

* Primer finish available for topcoat application.




One Piece Series

Lighter weight, sharper definition, complete in a single board with X-TRUSION



- **Crisp, defined profile** that suits every architectural style.
- **Strong,** straight, and warp-free.
- **Faster and more cost-effective installation** compared to a traditional 2-piece fascia setup.




Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
23	300	2.1	17.9	0.33

Sure Series SUPER MOLECULE LIGHT

Value-packed, easy to install, complete finish.



- Single board delivers the look of a traditional 2-piece fascia system
- Saves both time and installation cost
- Lightweight and easy to screw — less labor, less effort

Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
23	300	1.8	15.8	0.33
23	400	1.8	21.5	0.25

** Color Loc Plus Technology available in Red Oak finish only.


Installation System



SCG anchor plugs and screws




Touch-up paint



SCG Ceiling Border


For concealing the joint between ceiling and wall, and between ceiling and fascia, delivering a clean, polished ceiling finish.

- **Fit** against both ceiling and wall surfaces beveled on one edge.
- **Dimensionally stable** — autoclave-cured under high pressure and temperature to prevent shrinkage.
- **Moisture and termite resistant.**
- **Available in 2 finishes:** factory-applied Oak and Cement gray.



Product Specification


Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
5 (2")	300	0.8	1.7	0.33



SCG Skirting Board

For finishing the joint between floor and wall — protecting walls from scuffs and stains while adding a refined decorative touch.

- **Seamless alignment along the floor-wall junction** and beveled underside
- **Termite resistant** for long service life
- **Available in 2 profiles:** Classic and Modern, in a primer finish ready for topcoat paint



Product Specification

Series	Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
Classic	10 (4")	300	1.2	5.4	0.33
Modern				5	

SCG Shading Plank

For privacy screening applications.

- **Solid** structural strength with 12 mm thickness
- **Smooth surface** that complements modern and contemporary home styles
- **Weather, UV, and termite resistant** for lasting performance





Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
7.5 (3")	300	1.2	4.1	4.44

SCG Fence

A thick composite board designed for applications requiring exceptional structural strength, including fences, decorative beams, screening panels, and trellis frameworks.

- **Strength & Durability** Available in 12 mm and 16 mm thickness for superior impact resistance.
- **Teak Wood Grain** Offered in a natural-look primer finish and a lustrous Golden Teak tone, each board captures the depth and texture of real wood with 3 color shades within a single plank for a truly dimensional appearance.
- **Long-Lasting Color** Mold and algae resistant, backed by COLOR LOC PLUS technology for color that stays vibrant over time.
- **Built to Last** Resistant to cracking, brittleness, sun, rain, and termites.

Product Specification

Series	Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
Teak Texture	7.5 (3")	400	1.2	5.4	3.33
	10 (4")			7.3	2.50
	10 (4")			9.7	2.50
Round-edge	10 (4")	300	1.2	1.9	8*

*In case of leaving a 2.5 cm gap between sheets



SCG Bird Guard Board

For closing the fascia gap beneath double-rib roof tiles, keeping birds from nesting under the roofline.

- **UV, rain, and termite resistant; warp-free** for a neat, seamless fit under the roof eave. Contoured profile designed to match SCG double-rib roof tiles.
- **Teak-textured surface** available in factory-applied Golden Teak and primer finishes.

Product Specification

Width (cm)	Length (cm)	Thickness (cm)	Weight (kg/sheet)	Coverage (sheet/m)
15 (6")	300	0.8	4.1	0.33




SCG C-Channel and C-Channel Plus

Enhance the charm of architectural decoration with a striking, dimensioned roof-frame design.

- **Steel-like appearance** that supports a wide range of decorative styles, suitable for both exterior and interior applications
- **Lightweight and cost-efficient, rust-free,** compatible with all structural systems, including steel and concrete
- **Strong and durable, engineered with** X-TRUSION TECHNOLOGY *for elevated installations (up to 10 meters)*



Install with SCG hybrid modified silicone adhesive
For seamless joints, apply sealant behind the panel for optimal performance.



Product Specification

Series	Color	Dimension (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
C-Channel	Cement	15 x 5 x 1.2 x 300	14.00	2.22
		22.3 x 5 x 1.2 x 300	18.30	1.49
		30 x 5 x 1.2 x 300	21.10	1.11
C-Channel Plus		22.3 x 8 x 1.2 x 300	22.10	1.49
		30 x 8 x 1.2 x 300	28.10	1.11

Caution: For decorative use only. Not designed or rated for structural load-bearing applications, direct or indirect. Please read the installation manual before proceeding.

Please scan for more information



Installation System



SCG anchor plugs and screws



SCG hybrid modified silicone adhesive

SCG C-Channel Vinyl Prime Series

- **The steel look without the steel weight**
- **Authentic steel appearance at a fraction of the weight** reducing material costs
- **Safe and effortless installation** with the Snap Lock System and integrated fixing mechanism
- **Ready for immediate spray or brush topcoat application**
- **Rated for high-rise installations up to 21 meters**

NEW



SCG C-Channel Vinyl Prime Series

Product Specification

Series	Color	Dimension (cm)	Weight (kg/sheet)	Coverage (sheet/sq.m.)
C-Channel Vinyl Prime Series	Cement	30 x 9 x 300	10	1.11




Installation System



Snap Clip



Connector



End Cap




SCG Wall Trim

Add architectural dimension and visual interest to every element of your home — framing doors and windows with elegant detailing that elevates every angle. Suitable for both interior and exterior applications.

- **Factory-finished smooth, sharp, flawless profile** consistent quality in every piece
- **Lighter than conventional** concrete molding
- **Easy dry-process installation** via plug-and-screw system
- **Built strong** with X-TRUSION

engineered for elevated installations (up to 10 meters)



Product Specification

Series	Color	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
SG7.5	Cement	7.5 x 300 x 5	8.16
S7.5			8.66
SG10		10 x 300 x 5	10.66
S10			11.16
SG15		15 x 300 x 5	16.8
S15			17.4
SG20		20 x 300 x 5	22.3
S20			22.9

*S Series = smooth and durable
*SG Series = grooved for instant water drainage

Installation System



SCG anchor plugs and screws




SCG hybrid modified silicone adhesive

Please scan for more information

SCG Wall Trim Plus

NEW



Product Specification

Series	Color	Dimension (Width x Length x Thickness (cm))	Weight (kg/sheet)
SG5+	Cement	5 x 300 x 8	10.98
S5+			11.48
SG10+		10 x 300 x 8	15.8
S10+			16.3

*S Series = smooth and durable *SG Series = grooved for instant water drainage

Recommended Accessories for Easier Installation


**Install with SCG anchor plugs, screws, and hybrid modified silicone adhesive.



SCG anchor plugs and screws



SCG hybrid modified silicone adhesive













CW-WS-D-C040/6903

*Colors shown in the catalogue may differ from actual products due to the printing process. Please check the actual product color at the store before placing an order.

All content, design, and layout are Copyright ©2026, SCG Cement-Building Materials All Rights Reserved, Reproduction in whole or part in any form or medium without specific written permission is prohibited.

SCG International