




Smartwood

Attractive, Long-Lasting Color with **COLOR LOC**







SCG Smartwood is an innovative wood substitute product made from the superior **SCG Portland Cement, Silica Sand and Special Cellulose Fiber** using high standardized processes (Autoclave Process). **SCG Smartwood** creates a natural, attractiveness and confident look.

COLOR Superiority with

Color Loc technology locks every molecule firmly into the SCG Smartwood fiber with a special spraying technique, developed especially for synthetic wood and submitted to a high temperature curing process to help lock the paint for long lasting color. Colored Smartwood stays naturally attractive. And resembles authentic for a long period of time.

3rd Layer
A clear coat for lock-in strength and a glossy finish

2nd Layer
Paint for the wood finish tones and adherence for the clear coat

1st Layer
Primer to help paint adhere to the wood

Using SCG Smartwood



Decorate **SCG Smartwood uncolor** on interior ceilings and soffit by coating with white acrylic paint for an attractive, eye pleasing ceiling in a linear pattern for a dimensional look.

Location: Wilaiwan Huahin, Prachuabkhirikhan



SCG Smartwood T-Clip flooring in brown oak

Install for an attractive walkway from a refreshing garden to the house with a naturally beautiful wood grain pattern on smooth floors with no traces of screws.

Location: Ratchawadi Ban Krud Resort, Prachuabkhirikhan



SCG Smartwood Eaves Liner Uncolor

With attractive colors of your choice, enhance ventilation and reduce heat under the roof for a cool, refreshing atmosphere.


Location: Alcidini Winery, Nakhonratchasima



SCG Smartwood Eaves Liner, Brown Oak Color
SCG Smartwood T-Clip Floor Plank, Natural Beech Color

Decorate a lounging corner on the veranda or porch to create the perfect, relaxing atmosphere for your home.

Image: Daybeds Magazine



SCG Smartwood Shading Plank, Primer Color

Install around the lounging area at the back of your house by placing in every other groove to help organize the area for a proportionate, attractive and spacious look.



SCG Smartwood Wood Plank, Colonial Series, Ivory Color

Add some rustic to your house walls with chiseled groove styles down to the skirt board edge; available in teakwood patterns for a natural look.

Using SCG Smartwood



SCG Smartwood T-Clip Floor Plank

Install a veranda in front of your house to enhance your home's natural ambience with an attractive floor and nary a screw head in sight.



SCG Smartwood Wood Plank, Colonial Series

Enhance the wall quality of your home with grooves, blended with skirt boards for a neat attractive look.



SCG Smartwood Shading Plank

Install as soffit sunshades to help reduce sunlight and heat for a more comfortable lounge.



SCG Smartwood Wood Plank, Craftman

Add a decorative touch, with wooden patterns mixed with chiseled grooves and contoured edges on quality woodwork and make your entire house beautiful. Bring your artistic vision to life, whilst introducing warmth and elegant to every corner.

Colonial Series

A natural style of master carpentry with chiseled grooves. Every sheet is lathed with contour, so your home is attractive, grand and contemporarily crafted.



Ivory

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
20	3	8	7.2	1.9



Ivory

Attractive, elegant, natural with
A glossy varnish for a genuine ivory like shine


New England Series

Attractive and elegant with diligently chiseled grooves and simple patterns meticulously styled by master craftsmanship.



Ivory

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
20	3	8	7.2	1.9



Ivory

Attractive, stylish with chiseled grooves
in a simple, yet meticulously styled pattern

SCG Smartwood Lap Siding

Beautifully smooth; no need to cover screw heads, so your walls are smooth. Suitable for home, buildings and projects that want a modern look with the warmth of natural wood.


Lap Siding V1

(Smooth surface; no grooves)

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
18	3	10	6.01	2.15



Uncolor



Uncolor

Uncolor

Lap Siding V2

(Smooth surface; 4" grooves)

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
23.5	3	10	8.13	1.59

Lap Siding V3

(Smooth surface; 2.5" grooves)

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
23.5	3	10	8.02	1.59



SCG Smartwood Wood Plank, Standard

Natural

Natural wood color : opulent beauty with luxuriously styled wood

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
15	3	8	5.4	2.67
15	4	8	7.2	2.0
20	3	8	7.2	1.9
20	4	8	9.7	1.43



Classic

Classic color : A timeless beauty as alluring as genuine wood.

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
15	3	8	5.4	2.67
15	4	8	7.2	2.0
20*	3	8	7.2	1.9
20*	4	8	9.7	1.43



Wow Series

Attractive, outstanding and long lasting color. Containing 3 layers of varnish for three dimensional look that accentuates deep wood grain patterns for a unique look.

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
15	3	8	5.4	2.67
15	4	8	7.2	2.0







SCG Smartwood Wood Plank, Paintable Series

Primer

High quality primer color made from factory, ready to paint with water based acrylic paint



Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
15	3	8	5.4	2.67
15	4	8	7.2	2.0
20	3	8	7.2	1.9
20	4	8	9.7	1.43



Uncolored

Grain patterned texture: paint with one coat of old cement primer and two coats of paint in the shade of your choice

Timber (Deep wood):

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
15	3	8	5.4	2.67
15	4	8	7.2	2.0
20	3	8	7.2	1.9
20	4	8	9.7	1.43
23	3.66	6.5	8.3	1.33
23	3.66	7.5	9.6	1.33

Teak Texture :

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
15	3	8	5.4	2.7
20	3	8	7.2	1.9



SCG Smartwood Decorative Wall Panel, Modeena

SCG Smartwood Decorative Wall Panel, Modeena series is a wood substitute made from advance technology to create innovative and modern wall design.

• Outstanding and unique


Elaborate design, applicable for both interior and exterior purposes with a neat finish using the overlap method between panels to hide screw heads.

• Fast and easy to install

With the clip lock system, installation on concrete wall or steel structure is possible.

• Moisture and termite resistant

Model	Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
Modeena M1	30	150	2.5	10.40	2.38
Modeena M2	30	150	2.5	11.40	2.38
Modeena M3	30	150	2.3	11.90	2.38





SCG Smartwood Fascia Board

For Covering All Types of Fascia and Gable-Ends

- Remains unwaveringly straight throughout its usage life. Does not curve or bend.
- Detailed, beautiful with a natural wood grain pattern.
- Available in 2 colors : golden teak and primer, with can be immediately painted on.
- **Fascia Prompt** (23.5x300x1.8cm.) can be quickly and conveniently installed. Structure is equal to an 8" wide fascia board combined with a 6" wide fascia board.

Width (cm.)	Length (cm.)	Thickness (cm.)	Weight (Kg./pc.)	pcs./m.
10 cm. (4")*	400	1.6	9.3	0.25
15 cm. (6")**	300	1.6	10.6	0.33
15 cm. (6")	400	1.6	14.2	0.25
20 cm. (8")**	300	1.6	14.3	0.33
20 cm. (8")	400	1.6	19.0	0.25
23.5 cm. (9")*	300	1.8	18.3	0.33

(*Primer only, **Cream Primer only)



SCG Smartwood Eaves Filler for Roman Tiles Roof

For Covering Eaves Under the Roof Tiles, Helps Prevent Birds from Nesting Under the Roof

- Sun resistant, rain resistant and termite resistant. Does not curve or bend.
- Covers the underside of roof tiles neatly and beautifully
- Attractive and durable teak wood surface color, available in golden teak and primer Color, ready made from the factory

Roof Type	Color	Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./m.
Roman Tiles	Primer	15	3	8	4.1	0.33



SCG Smartwood Eaves Liner

For Soffit Ceiling Ventilation to Reduce Heat Under the Roof

- Remains unwaveringly straight throughout its usage life.
- Available in 3 types:
 - 3" Eaves Liner Tapered Edge: uncolored, brown oak (only for 3 inch wide surfaces)
 - 4" Eaves Liner Tapered Edge: uncolored (only for 4 inch wide surfaces)
 - Eaves Liner Wood Grain: uncolored
- Uncolored
- Brown oak, immediately ready for use

Product Series	Width (cm.)	Length (cm.)	Thickness (cm.)	Weight (Kg./pc.)	pcs./sq.m.
Tapered Edge (Uncolour, Brown oak, Red oak)	7.5 (3")	300	0.8	2.7	4.44
	10 (4")*	300	0.8	3.6	3.33
Wood Grain - Wow (Golden teak, Red maka, Pradoo)	7.5 (3")	300	0.8	2.7	4.44
Grooving 3" Lining (Uncolour, Brown oak)	30	300	0.8	9.1	1.11
Wood Grain (Uncolour)	7.5 (3")	300	0.8	2.7	4.44

(*Uncolour only)





SCG Smartwood Skirt Board

SCG Smartwood Skirt Board is a wood substitute used to conceal the joint areas between the floor and the wall, to prevent stains on the wall and a decorative touch for aesthetic beauty.

- Tightly conceals the joints between floor and wall
- Termite resistant and long lasting
- Available in 2 kinds of edges in primer color

Model	Width (cm.)	Length (cm.)	Thickness (cm.)	Weight (Kg./pc.)	pcs./m.
Skirt board	10 (4")	300	1.2	5.0	0.33
Skirt board modern			1.2	5.4	



SCG Smartwood Ceiling Border

SCG Smartwood Ceiling Border is a wood substitute used for concealing joints between the ceiling edge and walls for a neat, finished look.

- Tightly conceals the ceiling edge and wall by tapering one side
- Does not shrink; submitted to high pressure and high temperature steamer in the production process
- Better moisture and termite resistance
- Uncolored
- Oak

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./m.
5	3	8	1.7	0.33



SCG Smartwood Shading Plank

SCG Smartwood Shading Plank is a wood substitute for shading or sunscreens.

- Strong and durable with 12 mm. thickness
- Smooth surface suitable for modern and contemporary style houses
- Termite proof because it contains SCG Portland cement
- Does not shrink; submitted to high pressure and high temperature steam production

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
7.5	3	12	4.1	4.44





SCG Smartwood Fence Plank

Durable wood substitute for structure that require extra strength such as fences, decorative beams, sunscreens and vine lattices

- Strong, long lasting, durable and able to handle impact better. Available in to 12 and 16 mm. thickness
- Beautiful natural primer teak texture

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.
7.5	4	12	5.4	3.33
10	4	12	7.3	2.50
10	4	16	9.7	2.50



SCG Smartwood Decorative Stair Plank

Beautiful new design that is strong, durable with outstanding tapering, giving the staircase dimension a satisfying feeling, every step of the way staircase dimensions for a satisfying feeling every step of the way

- Easy and fast installation on concrete with a no-screw system
- More beautiful and durable with factory made wood stain coating and clear coating. Excellent at preventing scratches (painted/colored)
- Outstanding tapering, giving the staircase dimension and beauty
- Strong and durable with up to 25 mm. thickness

Model	Width (cm.)	Length (cm.)	Thickness (cm.)	Weight (Kg./pc.)	pcs./sq.m.
Tread (Uncolour, Redwood)	27.5	120	2.5	13.0	3.03
Riser (Redwood)	18	120	1.6	5.3	4.63
Landing (Cream primer, Redwood)	15	300	2.5	17.0	2.22





SCG Smartwood Floor Plank, Basic Series

SCG Smartwood Basic Floor Plank is a wood substitute for interior and exterior resort style decoration.

- Strong, long lasting and durable with up to 25 mm. thickness; can be installed on 30 cm. frame spacing for 6" width and 25 cm. for 4" width, or as decorative flooring on concrete
- Both interior and exterior use; weather resistant; termite proof
- Wood like texture with natural wood grain
- Comes with primer; ready for the paint of your choice

Decorative Floor Plank :

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.	Frame Spacing (cm.)
15	3	15	10.12	2.22	Installed on concrete floor only

Floor Plank (Basic) :

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.	Frame Spacing (cm.)
10	3	25	9.70	3.33	25
15	3	25	14.60	2.22	30
20	3	25	19.50	1.67	30




SCG Smartwood T-Clip Floor Plank

Beautiful, perfect, neat, no trace of any screws in sight and fully painted

- Natural wood like color with up to 4 coats of paint
- Three shades to choose from: brown oak, natural beech and mahogany
- A neat finish with side grooves chiseled out to perfectly fit the T-Clips, for an attractive, neat and flawless look
- Quickly and easily installed with no drilling or painting
- Environmental friendly as free of lead and mercury with low VOC paint formula for fiber cement

Width (cm.)	Length (m.)	Thickness (mm.)	Weight (Kg./pc.)	pcs./sq.m.	Frame Spacing (cm.)
20	3	25	22.6	1.67	30





SCG Smartwood Products Range

Products Application	Name	Width (cm.)	Thickness (mm.)	Length (m.)	Weight (Kg./pc.)	Surface	Edges	Color/ Model	Usage quantity (pcs. /sq.m.)	
Wood Plank	Colonial	20 (8")	8	3	7.20	Teak texture	Lining Skirt Board Edge	Ivory	1.90	
	New England	20 (8")	8	3	7.20	Teak texture	1 Side Square Lining	Ivory	1.90	
	Natural	15 (6")	8	3	5.40	Teak texture	Non tapered	Golden Teak	2.67	
		20 (8")	8	3	7.20				2.00	
		15 (6")	8	4	9.70		Non tapered	Red Maka	1.90	
		20 (8")	8	4	9.70				1.43	
	Classic	15 (6")	8	3	5.40	Teak texture	Non tapered	Ivory	2.67	
		20 (8")	8	3	7.20				2.00	
		15 (6")	8	4	9.70		Non tapered	Red Oak	1.90	
		20 (8")	8	4	9.70				1.43	
	Primer	15 (6")	8	3	5.40	Teak texture	Non tapered	Primer	2.67	
		20 (8")	8	3	7.20				2.00	
	Uncolored	15 (6")	8	3	5.40	Timber (Deep wood)	Non tapered	Uncolor	2.67	
		20 (8")	8	4	9.70				2.00	
		15 (6")	8	3	5.40	Teak texture	Non tapered	Uncolor	2.67	
		20 (8")	8	3	7.20				1.90	
		23 (9")	6.5	3.66	8.30	Timber (Deep wood)	Non tapered	Uncolor	1.33	
		23 (9")	7.5	3.66	9.60				1.33	
Decorative Wall Panel	Wow	15 (6")	8	3	5.40	Deep wood texture	Non tapered	Golden Teak		
			8	4	7.20			Red Maka	2.67	
		15 (6")	8	3	5.40		Non tapered	Red Pradoo	2.00	
			8	4	9.70			Rosewood		
	Lap Siding	V1	18 (7.2")	10	3	6.01	Smooth surface	Not Grooved	Uncolor	2.15
		V2	23.5 (9.4")	10	3	8.13	Smooth surface	4" Grooves	Uncolor	1.59
		V3	23.6 (9.4")	10	3	8.02	Smooth surface	2.5" Grooves	Uncolor	1.59
Decorative Wall Panel	Modeena M1	30	25	1.50	10.40	Smooth surface		Uncolor	2.38	
	Modeena M2	30	25	1.50	11.40	Smooth surface		Uncolor	2.38	
	Modeena M3	30	23	1.50	11.90	Smooth surface		Uncolor	2.38	

Products Application	Name	Width (cm.)	Thickness (mm.)	Length (m.)	Weight (Kg./pc.)	Surface	Edges	Color/ Model	Usage quantity (pcs. /sq.m.)
Skirt Board	Skirt Board	10 (4")	12	3	5.00	Smooth surface	1 Side Skirt Board Edge	Primer	0.33 (pcs. /m.)
	Modern Skirt Board	10 (4")	12	3	5.40	Smooth surface	1 Side tapered	Primer	0.33 (pcs. /m.)
Shading Plank	Shading Plank	7.5 (3")	12	3	4.10	Smooth surface	1 Side tapered	Primer	4.44

*is MTO (Made-To-Order) lead time of delivery 45 days




Products Application	Name	Width (cm.)	Thickness (mm.)	Length (m.)	Weight (Kg./pc.)	Surface	Edges	Color/ Model	Usage quantity (pcs. /sq.m.)
Fascia Board	Fascia Board	10 (4")	16	4	9.30	Teak texture	1 Side tapered	Primer	0.25 (pcs./m.)
		15 (6")	16	4	14.20			Primer/Golden teak/Red Oak	0.25 (pcs./m.)
		20 (8")	16	4	19.00			Primer/Golden teak/Red Oak	0.25 (pcs./m.)
	Fascia Board Smooth Surface	15 (6")	16	3	10.60	Smooth surface	1 Side tapered	Cream Primer	0.33 (pcs./m.)
		20 (8")	16	3	14.30			Cream Primer	0.33 (pcs./m.)
	Fascia Prompt	23.5 (9.4")	18	3	18.30	Smooth surface	1 Side tapered	Primer	0.33 (pcs./m.)
Eaves Filler	Eaves Filler	15 (6")	8	3	4.10	Teak texture		Primer	0.33 (pcs./m.)
Eaves Liner	Eaves Liner Tapered	7.5 (3")	8	3	2.70	Smooth surface	2 Side tapered	Uncolor /Brown Oak /Red Oak	4.44
		10 (4")	8	3	3.60	Smooth surface	2 Side tapered	Uncolor	3.33
	Wood Grain Wow	7.5 (3")	8	3	2.70	Deep wood texture	2 Side tapered	Golden Teak /Red Maka /Pradoo	4.44
	Grooving 3" Lining	30	8	3	9.10	Smooth surface	2 Side tapered	Uncolor /Brown Oak	1.11
	Eaves Liner Wood Grain	7.5 (3")	8	3	2.70	Deep wood texture	2 Side tapered	Uncolor	4.44
Ceiling Border	Ceiling Border	5.0 (2")	8	3	1.70	Smooth surface	1 Side tapered	Uncolor /Oak	0.33 (pcs./m.)
Fence Plank	Fence Plank	7.5 (3")	12	4	5.40	Teak texture	2 Side tapered	Primer	3.33
		10 (4")	12	4	7.30				2.50
		10 (4")	16	4	9.70				2.50
Stair Plank	Decorative Stair Tread Plank	27.5 (11")	25	1.2	13.00	Smooth surface	1 Side tapered	Uncolor /Redwood	3.03
	Decorative Stair Riser Plank	18 (7.2")	16	1.2	5.30	Smooth surface	Squared Edge	Redwood	4.63
	Decorative Stair Plank Landing *MTO	15 (6")	25	3	17.00	Smooth surface	2 Side tapered	Cream Primer /Redwood	2.22
Floor Plank	T-Clip Floor Plank	20 (8")	25	3	22.60	Burr wood texture	2 Side tapered	Brown Oak /Natural Beech /Mahogany	1.67
	Basic Floor	10 (4")	25	3	9.70	Burr wood texture	2 Side tapered	Cream Primer	3.33
		15 (6")	25	3	14.60				2.22
	Decorative Floor	20 (8")	25	3	19.50				1.67
	Decorative Floor	15 (6")	15	3	10.12	Burr wood texture	2 Side tapered	Cream Primer	2.22

Recommended

and Studs to Install

Smartwood

Product	Application	Accessory	Package Size
Wood Plank	Interior	SCG Needle Point Screw 23 mm.	500 pcs./box
	Exterior	SCG Self Drilling Wing Screw 28.5 mm.	250 pcs./box
	Brick Walls or Old Concrete Walls	<ul style="list-style-type: none"> SCG C-Line SCG Brackets SCG Needle Point Screw 38 mm. with SCG Plastic Insert 37 mm. SCG Self Drilling Screw 13 mm. 	 1 strip 60 pcs./pack 250 pcs./box 250 pcs./box 500 pcs./box
Decorative Wall Panel Modeena	Interior and Exterior	SCG Modeena Clip Lock Set contains the following :	
		<ul style="list-style-type: none"> - Modeena Clip Lock - SCG Self Drilling Screw 13 mm. 	 50 pcs./set 10 pcs./set
Fascia Board/ Eaves Filler	Fascia	SCG Self Drilling Wing Screw 28.5 mm.	250 pcs./box
		SCG Needle Point Screw 38 mm.	250 pcs./box
		Needle Point Screw 45 mm.	Available in Typical Store
		Self Drilling Wing Screw 45 mm.	Available in Typical Store
Eaves Liner/ Ceiling Border	Interior and Exterior	<ul style="list-style-type: none"> SCG Needle Point Screw 23 mm. SCG Self Drilling Wing Screw 28.5 mm. 	 500 pcs./box 250 pcs./box
Skirt Board	Interior and Exterior	SCG Needle Point Screw 38 mm. with SCG Plastic Insert 37 mm.	 250 pcs./box 250 pcs./box
Fence Plank / Shading Plank	Interior and Exterior	SCG Self Drilling Wing Screw 32 mm.	 500 pcs./box
Floor Plank	Interior and Exterior	Self Drilling Wing Screw 45 mm.	 Available in Typical Store
T-Clip Floor Plank	Interior and Exterior	<p>T-Clip lock set contains the following:</p> <ul style="list-style-type: none"> - T-Clip lock - SCG Self Drilling Screw 13 mm. (Wafer Head) 	 50 sets/box
Decorative Floor Plank	Interior and Exterior	SCG Needle Point Screw 38 mm. with SCG Plastic Insert 37 mm.	 250 pcs./box 250 pcs./box

Accesories for Finishing

Smartwood

SCG Corner Post Cement

Use to cover inner and outer corners of Wood Plank

Dimension: 7.5x7.5x300x0.8 cm.

Weight: 5.2 Kg.

Color: Cement

Usage: 0.33 pcs./m.



SCG Smartwood Acrylic Paint Sealant

To seal joints and cover screw heads for both external and internal

Size: 310 ml.

Weight: 0.5 Kg.

Color: White

Usage: 15-20 sq.m/tube



SCG Acrylic Paint for Wood Plank

100% water-based paint to finish screw heads or joints

Weight: 1 Kg.

Color: Golden teak, Red maka, Ivory, Red oak, Brown oak (for eaves liner)

Color type: Glossy

Usage: 7-10 sq.m/bucket



SCG Acrylic Paint for Fiber Cement

100% water-based transparent acrylic paint for any fiber cement wood

Weight: 3.5 Kg.

Color: Cream primer

Usage: 60 sq.m/bucket



Weight: 3 Kg.

Color: Natural beech, Mahogany, Redwood, Dark oak

Color type: Glossy, Matt

Usage: 20-25 sq.m/bucket (2-3 rounds)

SCG Acrylic Paint for Stair Plank

Primer for coating before paint

Weight: 2 Kg.

Color type: Brown

Usage: 10-15 sq.m/bucket



Acrylic paint for Stair Plank

Weight: 3.6 Kg.

Color: Redwood

Usage: 20-25 sq.m/bucket (2-3 rounds)

Shield gloss to cover the acrylic paint

Weight: 2 Kg.

Color type: Clear Glossy

Usage: 20-25 sq.m/bucket



SCG Acrylic Paint for Floor Plank

100% water-based acrylic paint especially for Floor Plank. Resistant to scratch from walking.

Weight: 3.6 Kg.

Color: Natural beech, Mahogany, Dark oak, Redwood

Color type: Glossy, Matt

Usage: 20-25 sq.m/bucket (2-3 rounds)



WARNING

- Never use as a structure for buildings, support, or other purposes. SCG Smartwood must be installed in compliance with the installation manual, and only standardized equipment from the manufacturer can be used.
- Never ingest or swallow. Furthermore, the dust created from cutting, grinding, drilling or injecting the product should not be inhaled.
- Do not use in areas that are wet or moist at all times.
- Do not use for flooring raised more than 50 cm or more from the ground.

CAUTION

- SCG Smartwood products have been designed with directions for use as suitable for usage conditions in Thailand only. Use outside Thailand is considered a direct responsibility of the construction designer, controller and installer.
- Wood stain products contain chemical substance and cannot be swallowed, ingested or come into contact with the eyes.
- While working, use standardized personal safety equipment; tightly close containers after work and keep away from the hands of children.
- If any skin irritation occurs with contact, hurry to rinse with water many times and see a doctor without delay.
- If swallowed or ingested, do not induce vomiting. Drink plenty of clean water in order to dilute the chemical and see a doctor without delay.
- Specifications for installation are only preliminary suggestions for general usage. The installation methods and structures used should be considered in line with EIT Standard 1015-40 for Steel Structured Buildings and the design specifications in Ministerial Regulations, 6th Edition (1984) issued pursuant to the tenets of the Act of 1979.
- Using the products outside of the usage specified in this document is considered a direct responsibility of the construction designer and controller.
- The installation manual is subject to change.
- Construction designers, controllers and installers must check to determine whether the installation manual in their possession is the most recent edition. If there is any doubt, the edition can be checked at www.scgbuildingmaterials.com